IP POE CCTV SYSTEMS

For Domestic and Commercial Scale Projects

or IP



HDVIEW

IP POE CCTV SYSTEMS

Introducing the new IP POE CCTV range from ESP, which aims to satisfy straight forward installations and the growing demand for reliable domestic and commercial solutions.

The range features POE (Power-Over-Ethernet). POE enables the camera and power feed to be wired in Cat5e cable up to 100 meters, making installations more convenient.


Processing power, features, versatility and high resolution of IP CCTV all combine to make it a superior choice over traditional analog CCTV systems.

The range consist of REKOR IP kits tailored for the domestic market, whilst the 5 Megapixel HDview IP range focuses on larger applications, offering a wide choice of NVR and camera selection.

All NVRs are packed with features such as remote monitoring via the ESP IPView APP, H265 compression, motion record activation and are supplied with quality surveillance Hard Drives for peace of mind.



DOMESTIC IP CCTV SETUP



COMMERCIAL IP CCTV SETUP

rekor IP² 2 MEGAPIXEL IP POE CCTV SYSTEMS

2 MEGAPIXEL IP POE CCTV SYSTEMS



REKIPC36FBW

3.6MM LENS 2MP HD IP BULLET CAMERA

- HD 2MP Resolution
- 3.6mm Fixed Lens
- 1/2.7″ Image Sensor
- 30m Infrared LED Illumination
- 87° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- IP66 Housing Ingress Protection
- 256kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø71 X138mm
- Weight: 250g



REKIP4KB2W

2 MEGAPIXEL IP POE CCTV KIT

- Complete with NVR, IP Cameras, Cable & System Power Supply
- HD 2MP Resolution Viewing and Recording
- 4CH POE NVR- Power Over Ethernet
- 2 x 2MP, Day/Night, Weatherproof, Bullet Style IP Cameras
- H.265 Video Compression for Efficient Storage
- Pre-Installed 1TB Western Digital Hard Drive
- Remote Monitoring via APP (Android / IOS) or PC
- Playback / Record / Remote View Simultaneously
- Continuous / Scheduled / Motion Record Modes
- USB Backup for Evidence Transfer
- Mouse Driven User Menu
- 50Mbps Recording Bandwidth
- 60W Power Supply



REKIP4KB4W

2 MEGAPIXEL IP POE CCTV KIT

- Complete with NVR, IP Cameras, Cable & System Power Supply
- HD 2MP Resolution Viewing and Recording
- 4CH POE NVR- Power Over Ethernet
- 4 x 2MP, Day/Night, Weatherproof, Bullet Style IP Cameras
- H.265 Video Compression for Efficient Storage
- Pre-Installed 1TB Western Digital Hard Drive
- Remote Monitoring via APP (Android / IOS) or PC
- Playback / Record / Remote View Simultaneously
- Continuous / Scheduled / Motion Record Modes
- USB Backup for Evidence Transfer
- Mouse Driven User Menu
- 50Mbps Recording Bandwidth
- 60W Power Supply

REKIPC36FDW

3.6MM LENS 2MP HD IP DOME CAMERA

HD 2MP Resolution

- 3.6mm Fixed Lens
 1/2.7" Image Sensor
- 30m Infrared LED Illumination
- 87° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- □ IP66 Housing Ingress Protection
- 256kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø100x82mm
- Weight: 260g

REKIP4KD2W

2 MEGAPIXEL IP POE CCTV KIT

- Complete with NVR, IP Cameras, Cable & System Power Supply
 HD 2MP Resolution Viewing and Recording
- 4CH POE NVR- Power Over Ethernet
- 2 x 2MP, Day/Night, Weatherproof, Dome Style IP Cameras
- H.265 Video Compression for Efficient Storage
- Pre-Installed 1TB Western Digital Hard Drive
- Remote Monitoring via APP (Android / IOS) or PC
- Playback / Record / Remote View Simultaneously
- Continuous / Scheduled / Motion Record Modes
- USB Backup for Evidence Transfer
- Mouse Driven User Menu
- 50Mbps Recording Bandwidth
- 60W Power Supply

REKIP4KD4W

2 MEGAPIXEL IP POE CCTV KIT

Complete with NVR, IP Cameras, Cable & System Power Supply
HD 2MP Resolution Viewing and Recording
4CH POE NVR- Power Over Ethernet
4 x 2MP, Day/Night, Weatherproof, Dome Style IP Cameras
H.265 Video Compression for Efficient Storage
Pre-Installed 1TB Western Digital Hard Drive
Remote Monitoring via APP (Android / IOS) or PC
Playback / Record / Remote View Simultaneously
Continuous / Scheduled / Motion Record Modes
USB Backup for Evidence Transfer
Mouse Driven User Menu
50Mbps Recording Bandwidth

■ 60W Power Supply







5 MEGAPIXEL IP POE CCTV SYSTEMS

5 MEGAPIXEL IP POE CCTV SYSTEMS



HDVIPC36FBW

3.6MM LENS 5MP HD IP BULLET CAMERA

- HD 5MP Resolution
- 3.6mm Fixed Lens
- 1/2.7" Image Sensor
- 30m Infrared LED Illumination
- 87° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- IP66 Housing Ingress Protection
- 256kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø71 X138mm
- Weight: 250g



HDVIPC2812VFBW

2.8-12MM LENS 5MP HD IP BULLET CAMERA

- HD 5MP Resolution
- 2.8~12mm Varifocal Lens (Motorized)
- 1/2.7″ Image Sensor
- 40m Infrared LED Illumination
- 103 51° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- Additional Features: SD storage / Alarm Trigger Input / Audio I/O
- IP66 Housing Ingress Protection
- 256kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø88X240mm
- Weight: 805g

HDVIPC36FDW

3.6MM LENS 5MP HD IP DOME CAMERA

- HD 5MP Resolution
- 3.6mm Fixed Lens
- 1/2.7″ Image Sensor
- 30m Infrared LED Illumination
- 87° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- IP66 Housing Ingress Protection
- 256kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø100x82mm
- Weight: 260g

HDVIPC2812VFDW

2.8-12MM LENS 5MP HD IP DOME CAMERA

HD 5MP Resolution

- 2.8~12mm Varifocal Lens (Motorized)
- 1/2.7″ Image Sensor
- 45m Infrared LED Illumination
- 103 51° Viewing Angle
- H.265 Compression
 ONVIF Compliant
- Additional Features: SD storage / Alarm Trigger Input / Audio I/O
- IP66 Housing Ingress Protection
- 256kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø126 X 102mm
- Weight: 720g

HDVIPC28FDWAV

2.8MM LENS 5MP HD IP VANDAL RESISTANT DOME CAMERA

- HD 5MP Resolution
- 2.8 mm Fixed Lens
- 1/2.7" Image Sensor30m Infrared LED Illumination
- 92° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- IP66 Housing Ingress Protection
- IK10 Impact Protection
- 256kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø112X95mm
- Weight: 510g

HDVIPC2812VFDWAV

2.8-12MM LENS 5MP HD IP VANDAL RESISTANT DOME CAMERA

HD 5MP Resolution

- 2.8~12mm Varifocal Lens (Motorized)
- 1/2.7" Image Sensor
- 45m Infrared LED Illumination
- 132~37° Viewing Angle
- H.265 Compression

12vDC/POE

Weight: 1067g

- ONVIF Compliant
- Additional Features: SD storage / Alarm Trigger Input &output / Audio I&O/Reset
- IP66 Housing Ingress Protection
- IK10 Impact Protection

Operating Temperature: -30 ~ +55°C
 Dimensions: Ø147X117mm

■ 256kbps ~ 8Mbps bit Rate

■ ≤ 7W Power Consumption









5 MEGAPIXEL IP POE CCTV SYSTEMS

5 MEGAPIXEL IP POE CCTV SYSTEMS

HDVIPC28FDW

2.8MM LENS 5MP HD IP INTERNAL DOME CAMERA

- 2.8mm Fixed Lens
- 1/2.7" Image Sensor
- 10m Infrared LED Illumination
- 92° Viewing Angle
- H265 Compression
- ONVIF Compliant
- Additional Features: SD storage / Microphone
- IP66 Housing Ingress Protection ■ 256Kbps ~ 8Mbps bit Rate
- 12vDC/POE ■ ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø120X64mm
- Weight: 450g
- 5MP

HDVIPC11FDW

1.1MM LENS 5MP HD IP FISH EYE CAMERA

- HD 5MP Resolution
- 1.1mm Fixed Lens
- 1/2.9″ Image Sensor
- 5m Infrared LED Illumination
- 360° Viewing Angle
- H265 Compression
- ONVIF Compliant
- Additional Features: SD Storage / Alarm Trigger Input & Output/ Audio I&O / Video Output/Reset
- IP64 Housing Ingress Protection
- 256Kbps ~ 8Mbps bit Rate
- 12vDC/POE
- ≤ 5W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø120*55mm
- Weight: 400g
- Suitable only for use with PC and NVR models: HDVIP16R, HDVIP32R

HDVIPCPTZ

5MP POE IPC 4.8-86.4MM PTZ

- HD 5MP Resolution
- 4.8-86.4mm Varifocal Lens (18x Zoom)
- Full pan, tilt and zoom operation
- Full 360° rotation pan function
- 1/2.5″ Image Sensor
- 60m Infrared LED Illumination
- 61.2~2.32° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- IP66 Housing Ingress Protection
- 8Kbps ~ 8Mbps bit Rate
- 12vDC~2A/POE
- ≤ 30W Power Consumption
- Operating Temperature: -30~+60°C
- Dimensions: 251x 130 x 208mm (bracket inc.)
- Weight: 4KG

IPSW4POE

4CH POE SWITCH

■ 60W

■ POE: 4x 10/100 Mbps ■ Uplink: 1x 10/100 Mbps

IPSW8POE

- 8CH POE SWITCH
- 120W
- POE: 8x 10/100 Mbps
- Uplink: 1x 10/100 Mbps

IPIN1POE

1CH POE INJECTOR

■ 30W

■ 10/100/1000 Mbps

■ Voltage Input: 100-240vAC







■ HD 5MP Resolution











• HOVIEW IP 5 MEGAPIXEL IP POE CCTV SYSTEMS

5 MEGAPIXEL IP POE CCTV SYSTEMS



HDVIP4R

5 MEGAPIXEL IP POE 4CH NVR

- HD 5MP Resolution Viewing and Recording
- 4CH POE NVR- Power Over Ethernet
- H.265 Video Compression for Efficient Storage
- ONVIF Compliant
- Western Digital Hard Drive (1TB, 2TB, 4TB, 8TB Options)
- Remote Monitoring via APP (Android / IOS) or PC
- Playback / Record / Remote View Simultaneously
- Continuous / Scheduled / Motion Record Modes
- HDMI Output (4K)
- USB Backup for Evidence Transfer
- Mouse Driven User Menu
- Contents: NVR, Power Supply, Manual, Software CD, HDMI Lead, Mouse Control, Remote Control (Battery Inc.)
- 60W Power Supply Dimensions: 300 X 227 X 53mm

5MP

Weight: 1.7KG

HDVIP8R

5 MEGAPIXEL IP POE 8CH NVR

- HD 5MP Resolution Viewing and Recording
- 8CH POE NVR- Power Over Ethernet
- H.265 Video Compression for Efficient Storage
- ONVIF Compliant
- Western Digital Hard Drive (1TB, 2TB, 4TB, 8TB Options)
- Remote Monitoring via APP (Android / IOS) or PC
- Playback / Record / Remote View Simultaneously
- Continuous / Scheduled / Motion Record Modes
- HDMI Output (4K)
- USB Backup for Evidence Transfer
- Mouse Driven User Menu
- Contents: NVR, Power Supply, Manual, Software CD, HDMI Lead, Mouse Control, Remote Control (Battery Inc.)

80Mbps Recording Bandwidth

50Mbps Recording Bandwidth

90W Power Supply



HDVIP16R

5 MEGAPIXEL IP POE 16CH NVR

Dimensions: 300 X 227 X 53mm

- HD 5MP Resolution Viewing and Recording
- 16CH POE NVR- Power Over Ethernet
- H.265 Video Compression for Efficient Storage
- ONVIF Compliant
- Western Digital Hard Drive (2TB, 4TB, 8TB, 12TB, 16TB Options)
- Remote Monitoring via APP (Android / IOS) or PC
- Playback / Record / Remote View Simultaneously
- Continuous / Scheduled / Motion Record Modes
- HDMI Output (4K)
- USB Backup for Evidence Transfer
- Mouse Driven User Menu
- Contents: NVR, Power Supply, Manual, Software CD, HDMI Lead, Mouse Control, Remote Control (Battery Inc.)

HDVIP32R	
5 MEGAPIXEL IP POE 32CH NVR	
 HD 5MP Resolution Viewing and Recording 32CH NVR 16ch POE - Power Over Ethernet H.265 Video Compression for Efficient Storage 	
 ONVIF Compliant Western Digital Hard Drive (2TB, 4TB, 8TB, 12TB, 16TB Opti Remote Monitoring via APP (Android / IOS) or PC Playback / Record / Remote View Simultaneously 	0
 Continuous / Scheduled / Motion Record Modes HDMI Output (4K) USB Backup for Evidence Transfer 	
 Mouse Driven User Menu Contents: NVR, Power Supply, Manual, Software CD, HDMI Lead, Mouse Control, Remote Control (Battery Inc.) 	
N	

320Mbps Recording Bandwidth

280W Power Supply

IPCDBW

IPC DEEP BASE WHITE

Camera Base For All Models Except Vandal Model HDVIPC2812VFDWAV

IPCDBWAV

IPC VANDAL RESISTANT DEEP BASE WHITE

Camera Base For Vandal Model HDVIPC2812VFDWAV

Weight: 3.4KG

Weight: 1.7KG






Dimensions: 380 X 340 X 50mm


Weight: 3.7KG





Get kitted out with the code finder





Code	Description
Rekor IP 2MP Cameras & Kits	
REKIPC36FBW	Rekor IP Bullet P
REKIPC36FDW	Rekor IP Dome P
REKIP4KB2W	Rekor IP 4 Chann
REKIP4KB4W	Rekor IP 4 Chann
REKIP4KD2W	Rekor IP 4 Chann
REKIP4KD4W	Rekor IP 4 Chann
HDview IP 5MP Cameras	
HDVIPC36FBW	HDview IP Bullet
HDVIPC36FDW	HDview IP Dome
HDVIPC28FDWAV	HDview IP Dome
HDVIPC2812VFBW	HDview IP Bullet
HDVIPC2812VFDW	HDview IP Dome
HDVIPC2812VFDWAV	HDview IP Dome
HDVIPCPTZ	HDview IP PTZ Do
HDVIPC28FDW	HDview IP Dome
HDVIPC11FDW	HDview IP Fishey
HDview IP NVR's	
HDVIP4R	HDview IP 4 Char
HDVIP4R2TB	HDview IP 4 Char
HDVIP4R4TB	HDview IP 4 Char
HDVIP4R8TB	HDview IP 4 Char
HDVIP8R	HDview IP 8 Char
HDVIP8R2TB	HDview IP 8 Char
HDVIP8R4TB	HDview IP 8 Char
HDVIP8R8TB	HDview IP 8 Char
HDVIP16R	HDview IP 16 Cha
HDVIP16R8TB	HDview IP 16 Cha
HDVIP16R12TB	HDview IP 16 Cha
HDVIP16R16TB	HDview IP 16 Cha
HDVIP32R	HDview IP 18 Cha
HDVIP32R8TB	HDview IP 32 Cha
HDVIP32R12TB	
	HDview IP 32 Cha
HDVIP32R16TB	HDview IP 32 Cha
Accessories	
IPCDBW	Camera Base For
IPCDBWAV	Camera Base For
HDVIP1632RRMB	Rack Mount Brac
CABIP10	10 Meter Camera
CABIP20	20 Meter Camera
CABIP40	40 Meter Camera
CABIP80	80 Meter Camera
CABIPCOUP	Extension Cable (
IPSW8POE	8 Channel POE Sv
IPSW4POE	4 Channel POE Sv
IPIN1POE	1 Channel POE In

TMPROSHD

POE 2MP Camera Fixed 3.6mm POE 2MP Camera Fixed 3.6mm nel POE 2MP 2 Bullet Camera Kit (1TB) nel POE 2MP 4 Bullet Camera Kit (1TB) nel POE 2MP 2 Dome Camera Kit (1TB) nel POE 2MP 4 Dome Camera Kit (1TB)

t POE 5MP Camera Fixed 3.6mm e POE 5MP Camera Fixed 3.6mm e POE 5MP Camera Fixed 2.8mm Vandal t POE 5MP Camera Varifocal 2.8-12mm e POE 5MP Camera Varifocal 2.8-12mm Vandal Dome POE 5MP Camera Varifocal 2.8-12mm Vandal come POE 5MP Camera Varifocal 2.8mm Internal e POE 5MP Camera 1.1mm

annel NVR 5MP (1TB) annel NVR 5MP (2TB) annel NVR 5MP (4TB) annel NVR 5MP (8TB) annel NVR 5MP (1TB) annel NVR 5MP (2TB) annel NVR 5MP (4TB) annel NVR 5MP (8TB) nannel NVR 5MP (4TB) nannel NVR 5MP (8TB) nannel NVR 5MP (12TB) nannel NVR 5MP (16TB) nannel NVR 5MP (4TB) nannel NVR 5MP (8TB) nannel NVR 5MP (12TB) annel NVR 5MP (16TB)

or All Models Except Vandal or Vandal Model acket For Models: HDVIP16R, HDVIP32R ra Extension Cable External Grade ra Extension Cable External Grade ra Extension Cable External Grade coupler Switch Switch njector

Super HD Test Monitor



Elite Security Products Unit 7, Target Park, Shawbank Road, Lakeside, Redditch B98 8YN Tel: +44 (0) 1527 51 51 50 Fax: +44 (0) 1527 51 51 43 info@espuk.com

Elite Security Products Ireland 18 Corrig Road, Sandyford Ind. Estate, Dublin D18 WV79, Ireland Tel: +353 (1) 5577 290 Fax: +353 (1) 2811 224 info@espi.ie www.espi.ie Scolmore Dubai Lake Central Tower, Office 1803, Business Bay, Dubai, UAE UAE Office: +971 4589 6552 Mob: +971 52 451 1164 sales@scolmoredubai.com

sales@scolmoredubai.com www.scolmoredubai.com E&OE - Errors and omissions excepted.

A **Scolmore GROUP** • • • • • Company