Solar light

XSolar SOL-O Sensor



EAN 4007841 052652

steinel



365TAGE







max. radius 6 m













Light 365 days the year

Function description

in silver and anthracite.

Lets the sun shine everywhere. No connection to the power supply, no energy costs and yet 365 days of light a year. The sensor-switched outdoor light with solar panel in monocrystalline glass as well as extra powerful lithium-iron phosphate rechargeable batteries make it possible. With 360° infrared mini sensor, 6 m reach, 140 lm luminous flux and patented, intelligent microprocessor control system. Includes night-light function and soft light start. Available

Technical specifications

Dimensions (L x W x H)	91 x 242 x 53 mm
Sensor Technology	passive infrared
Output	1,5 W
Luminous flux	140 lm
Colour temperature	3000 K
Colour Rendering Index CRI	80-89
With lamp	Yes, STEINEL LED system
Lamp	LED cannot be replaced
LED life expectancy (max. °C)	50000 h
LED cooling system	Passive Thermo Control
With motion detector	Yes
Detection angle	360 °
Sneak-by guard	Yes
Capability of masking out individual segments	Yes
Reach, radial	Ø 4 m (13 m²)

Reach, tangential	Ø 14 m (154 m²)
Photo-cell controller	Yes
Twilight setting	2 lx
Time setting	10 s - 0,5 Min.
Basic light level function	Yes
Soft light start	Yes
Impact resistance	IK03
IP-rating	IP44
Protection class	III
Ambient temperature	-20 - 40 °C
Housing material	Aluminium
Cover material	Plastic, structured
Manufacturer's Warranty	3 years
Version	Silver
PU1, EAN	4007841052652


Solar light

XSolar SOL-O Sensor

EAN 4007841 052652



Detection Zone



Mögliche Montagehöhe: 1,80 m – 2,50 m Orange: radial Schwarz: tangential

Dimension Drawing

